



8

Zaokružene kote posebno kontrolisati	Termička obrada i površinska zaštita	Kvalitet obrade
--------------------------------------	--------------------------------------	-----------------

1
2
3
4
5
6




416516		2	2	OSOVIHA				
416515		1	1	SPOLJHA LAMELA				
Br. standarda	Br. crteža	Poz.	Kom.	Naziv dela		Oznaka materij.	Gabarit. dimenzije	Neto težina
± 60'	Preko 5'			Izmene (na crtežu precrtano)				
± 30'	3'-5'							
± 10'	1'-3'							
± 10'	do 1'							
± 1.2	preko 1000							
± 0.8	300-1000			Polje	Datum	Prezime	Potpis	Opis izmene
± 0.5	100-300			Konstruisao	2.11.88.	MAKSIMOVIC		
± 0.3	30-100			Kontrolisao		R. PAHIC		
± 0.2	0-30			Odobrio		ING. PAVIC		
± 0.1	do 5 mm			Merio				
Slobodne toler.		Sklop	Iznos	Naziv SPOLJNI ČLAKAK TRANSP. VALJK. LAMAC 500 x 36 x 100				
Toler. sklopa				Veza 316506				Kopija
				416514				



Br. standarda		Br. crteža	Poz.	Kom.	Naziv dela		Oznaka materij.	Gabarit. dimenzije	Neto težina
± 60'	Preko 5'				31.5.07		Č. 0562	PROMETNI MAT.	
± 30'	3'-5'								
± 10'	1'-3'								
± 10'	do 1'								
± 1,2	Preko 1000				Polje	Datum	Prezime	Potpis	Opis izmene
± 0,8	300-1000				Konstruisao	2.11.88	MAKSIMOVIC		
± 0,5	100-300				Kontrolisao		R. PANIC		
± 0,3	30-100	32	0,148		Odobrio		ING. PAVIC		
± 0,2	6-30	2A9	0,210		Merio				
± 0,1	do 6 mm	Sklop	Iznos		Naziv				
Slobodne toler.		Toler. sklopa		TRANSP. VALJK. LAHAC				Veza 416507	Kopija
				500 x 36 x 100				416508	

DUB. CEM. SLOJA: $0,4 \div 0,5$
TVRD. CEM. SLOJA: $650 \div 700$ HV
TVRDOĆA JEZGRA: $380 \div 420$ HV



				ČAURA		Č.4320					
Br. standarda		Br. crteža		Poz.	Kom.	Naziv dela		vrsta materij.		NA ZAH. KUPC	
± 60'		Preko 5'		Izmena na crtežu precrtao		23.5.88.		C/2		DODATI OTVORI Ø4	
± 30'		3'-5'									
± 10'		1'-3'									
± 10'		do 1'									
± 1,2		preko 1000									
± 0,8		300-1000		Polje	Datum	Prezime	Potpis	Opis izmene			
± 0,5		100-300		Konstruisao	2.11.88.	MAKSIMOVIC	<i>[Signature]</i>	»FILIP KLJAJIC« INDUSTRIJA GALOVIH LANACA I INDUSTRIJSKIH TRANSPORTERA Kragujevac			
± 0,3		30-100		Kontrolisao		R. PANIC	<i>[Signature]</i>				
± 0,2		6-30		Odobrio		ING. PAVIC	<i>[Signature]</i>				
± 0,1		do 6 mm		Merio	Naziv	TRANSP. VALJK. LANAC					
Slobodne toler.		Toler. sklopa				500 x 36 x 100		Vrsta 416507		Kopija	
								416509			


Zaokružene kote
posebno kontrolisati

Termička obrada i površinska zaštita

Kvalitet obrade


KALITI HA: 55 ± 2 HRC

1
2
3
4
5
6



Č. 4732

Br. standarda		Br. crteža		Poz.	Kom.	Naziv dela		Oznaka materij.	Gabarit. dimenzije	Neto težina
± 60°	Preko 5°					1.3.66		<i>Nhi</i>	NAZNAK. KUPCA	Č. 4732
± 30°	3°-5°									
± 10°	1°-3°									
± 10°	do 1°									
± 1,2	preko 1000									
± 0,8	300-1000									
± 0,5	100-300									
± 0,3	20-100									
± 0,2	5-20									
± 0,1	do 6 mm									
Slobodne toler.		Toler. sklopa				Naziv		Veza	Kopija	
						TRANSP. VALJAK LANAC		416507		
						500 x 36 x 100		416510		



		416513	2	1	ZAVRTANJ M24			
		416512	1	1	UNUTRAŠ. UMETAK			
Br. standarda	Br. crteža	Poz.	Kom.	Naziv dela		Oznaka materij.	Gabarit. dimenzije	Neto težina
± 60°	Preko 5°			Izmene na crtežu preortano				
± 30°	3°-5°							
± 10°	1°-3°							
± 10°	do 1°							
± 1.2	preko 1000			Polje	Datum	Prezime	Potpis	Opis izmene
± 0.8	300-1000			Konstruisao	2.11.88	MAKSIMOVIC		"FILIP KLJAJIC" INDUSTRIJA GALOVIH LANACA I INDUSTRIJSKIH TRANSPORTERA Kragujevac
± 0.5	100-300			Kontrollisao		R. PANIC		
± 0.3	30-100			Odobrio		ING. PAVIC		
± 0.2	5-30			Merilo				
± 0.1	do 5 mm	Sklop, iznos		Naziv UNUTRAŠ. NOSAČ TRANSP. VALJK. LANAC			Veza 416507	Kopija
Slobodne toler.	Toler. sklopa			500x36x100			416511	

1


2

3

4


5

6



58

DETALJ A"-M5:1



Br. standarda		Br. crteža	Poz.	Kom.	UNUTRAŠ. UMETAK Č. 0562		Naziv dela		Oznaka materij.	Gabarit. dimenzije	Neto težina
± 60'	Preko 3'				Izmene (na crtežu pocrtano)						
± 30'	2'-3'										
± 10'	1'-3'										
± 10'	do 1'										
± 1,2	preko 1000										
± 0,8	500-1000				Polje	Datum	Prezime	Potpis	Opis izmene		
± 0,5	100-500				Konstruisao	2.11.88.	MAKSIMOVIC	<i>[Signature]</i>	"FILIP KLJAJIC" INDUSTRIJA GALOVIH LANACA I INDUSTRIJSKIH TRANSPORTERA Kragujevac		
± 0,2	30-100				Kontrolisao		R. PANIC	<i>[Signature]</i>			
± 0,2	6-30				Odobrio		ING. PAVIC	<i>[Signature]</i>			
± 0,1	do 6 mm				Merio						
Slobodne toler.		Toler. sklopa		Sklop	Iznos	Naziv				Veza	Kopija
						TRANSP. VALJK. LANAC				416511	
						500 x 36 x 100				416512	

Zaokružene kote posebno kontrolisati	Termička obrada i površinska zaštita	Kvalitet obrade ▽ / ~ /
---	--------------------------------------	----------------------------

1

2

3

4


5

6

				ZAVRTANJ M24 (ČV50) 5.6		VIŠAR M24x70 JUS M.81051		
Br. standarda	Br. crteža	Poz.	Kom.	Naziv dela	Oznaka materij.	Gabarit. dimenzije	Neto težina	
± 60'	Preko 5'	Izmene (na crtežu precizano)						
± 30'	3'-5'							
± 10'	1'-3'							
± 10'	do 1'							
± 1,2	preko 1000							
± 0,8	300-1000			Potpis	Datum	Prezime	Opis izmene	
± 0,5	100-300			Konstruisao	2.11.88.	MAKSIMOVIC	"FILIP KLJAJIĆ" INDUSTRIJA GALOVIH LANACA I INDUSTRIJSKIH TRANSPORTERA Kragujevac	
± 0,3	30-100			Kontrolisao		R. PAHIĆ		
± 0,2	6-30			Odobrio		ING. PAVIĆ		
± 0,1	do 5 mm			Merio		Ch. Walter		
Slobodne toler.		Toler. sklopa		TRANSP. VALJK. LANAC 500 x 36 x 100				Veza 416511 416513

$\nabla / \nabla \nabla : \sim$

10 ± 0.5



•Filip Kljajić• T. B. 17 Šifra 875. 45. 009


Zaokružene kote
posebno kontrolisati

Termička obrada i površinska zaštita

Kvalitet obrade



1
2
3
4
5
6

DUB. CEM. SLOJA: $0,4 \pm 0,5$
TVRD. CEM. SLOJA: 700 ± 750 HV
TVRDOĆA JEZGRA: 370 ± 400 HV




ZAŠTITITI NAVOJ M10x1
KRAJEVE RUKAVCA Ø24

PRESEK A-A

				OSOVINA		Č.4320				
Br. standarda		Br. crteža		Poz.	Kom.	Naziv dela		Oznaka materij.	Gabarit. dimenzije	Neto težina
± 60'	Preko 5"			Izmene (na crtežu preurlano)						
± 30'	3"-5"									
± 10'	1"-3"									
± 10'	do 1"									
± 1,2	preko 1000									
± 0,8	300-1000			Polje	Datum	Prezime	Potpis	Opis izmene		
± 0,5	100-300	84	0	Konstruisao	2.11.88	MAKSIMOVIC'		-FILIP KLJAJIC-		
± 0,3	30-100	h11	-0,220	Kontrolisao		R. PANIC		INDUSTRIJA GALOVIH LANACA		
± 0,2	6-30	25	0	Odobrio		ING. PAVIC'	PAVIC'	INDUSTRIJSKIH TRANSPORTERA		
± 0,1	do 6 mm	h9	-0,052	Merio	Naziv				Veza	Kopija
Slobodne toler.		Toler. sklopa		TRANSP. VALJK. LANAC				416514		
				500 x 36 x 100				416516		

Zaokružene kote posebno kontrolisati	Termička obrada i površinska zaštita	Kvalitet obrade
--------------------------------------	--------------------------------------	-----------------

1
2
3
4
5
6
7
8



416516		2	2	OSOVIHA			
416515		1	1	SPOLJNA LAM.			
Br. standarda	Br. crteža	Poz.	Kom.	Naziv dela	Oznaka materij.	Gabarit. dimenzije	Neto težina
± 60'	Preko 5'	Izene (za crtežu pocrtano)					
± 30'	3'—5'						
± 10'	1'—3'						
± 10'	do 1'						
± 1,2	Preko 1000		Polje	Datum	Prezime	Potpis	Opis izmene
± 0,8	300—1000	Konstruisao	21.11.88.	MAKSIMOVIC	<i>[Signature]</i>	-FILIP KLJAJIC- INDUSTRIJA GALOVIH LANACA I INDUSTRIJSKIH TRANSPORTERA Kragujevac	
± 0,5	100—300	Kontrolisao		R. PANIC	<i>[Signature]</i>		
± 0,3	30—100	Odobrio		ING. PAVIC	<i>[Signature]</i>		
± 0,2	5—30	Merio	Naziv	ČLAN. ZA VEZU			Veza
± 0,1	do 6 mm	Sklop	Iznos	TRANSP. VALJK. LANAC			316506
Slobodne toler.		Toler. sklopa		500x36x100		416517	Kopija


Zaokružene kote
posebno kontrolisati




Termička obrada i površinska zaštita

Kvalitet obrade

POCINKOVANO

1
2
3
4
5
6




416513		2	1	ZAVRTAKJ M24				
416519		1	1	SPOLJHI UMETAK				
Br. standarda		Br. crteža	Poz.	Kom.	Naziv dela	Oznaka materij.	Gabarit. dimenzije	Neto težina
± 60°	Preko 5°	Izmene na crtežu precrtao						
± 30°	3°—5°							
± 10°	1°—3°							
± 10°	do 1°							
± 1.2	preko 1000		Polje	Datum	Prezime	Potpis	Opis izmene	
± 0.8	300—1000	Konstruisao	2.11.88.		MAKSIMOVIĆ		"FILIP KLJAJIĆ" INDUSTRIJA GALOVIH LANACA I INDUSTRIJSKIH TRANSPORTERA Kragujevac	
± 0.5	100—300	Kontrolisao			R. PAHIĆ			
± 0.3	30—100	Odobrio			ING. PAVIĆ			
± 0.2	6—30	Merio						
± 0.1	do 6 mm	Sklop	Iznos	Naziv SPOLJHI NOSAČ		Veza 316506		Kopija
Slobodne toler.		Toler. sklopa		TRANSP. VALJK. LANAC		416518		
				500x36x100				

»FILIP KLJAJIĆ«
INDUSTRIJA GALOVIH LANACA
I INDUSTRIJSKIH TRANSPORTERA
Kragujevac



Zaokružena kote
posebno kontrolisati



Termička obrada i površinska zaštita

Kvalitet obrade



DETALJ A"-M5:1



				SPOLJNI UMETAK		Č.0562						
Br. standarda		Br. crteža		Poz.	Kom.	Naziv dela		Oznaka materij.	Gabarit. dimenzije	Neto težina		
± 60'	Preko 5'			Izmene (na crtežu precizano)								
± 30'	3'—3'											
± 10'	1'—3'											
± 10'	do 1'											
± 1,2	preko 1000				Polje	Datum	Prezime	Potpis	Opis izmene			
± 0,8	300—1000	Konstruisao	2.11.88.	MAKSMOVIĆ		"FILIP KLJAJIĆ— INDUSTRIJA GALOVIH LANACA I INDUSTRIJSKIH TRANSPORTERA Kragujevac						
± 0,5	100—300	Kontrolisao		R. PANIĆ								
± 0,3	50—100	Odobrio		ING. PAVIĆ								
± 0,2	6—20	Merio	Naziv									
± 0,1	do 6 mm	Sklop	Iznos	TRANSP. VALJK. LANAC			Veza		416518	Kopija		
Slobodne toler.		Toler. sklopa		500 x 36 x 100					416519			

